

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	238260	cross adj sectional adj area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 13:50
L7	26337	thickness same 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:01
L8	600	invers\$4 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 13:51
L9	74	cable and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 13:54
L10	17	"174"/\$.ccls. and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:02
L11	3501	diameter same thickness same invers\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:02
L12	73	"174"/\$.ccls. and 11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:10
L13	367	174/120r.ccls. and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 15:20

EAST Search History

L14	221	diameter and 13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:12
L15	398	174/113r.ccls. and thickness	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 16:35
L16	307	diameter and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:29
L18	54	(expand\$4 foam\$4) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 14:41
L22	86	174/120r.ccls. and thickness and (expand\$4 foam\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 15:20
L24	145	174/113r.ccls. and thickness and (foam\$4 expand\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 16:35
L26	13130	voltage and cable and (foam\$4 expand\$4) and thickness	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/18 16:40
L27	7051	voltage and cable and (foam\$4 expand\$4) and thickness and high and direct and current	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/18 16:40
L28	2230	voltage and cable and (foam\$4 expand\$4) and thickness and high and direct and current and impact	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/18 16:41
L29	1482	voltage and cable and (foam\$4 expand\$4) and thickness and high and direct and current and impact and insulat\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/18 16:42

EAST Search History

L30	747	voltage and cable and (foam\$4 expand\$4) and thickness and high and direct and current and impact and insulat\$4 and shield\$4	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/18 17:00
L32	59	("174"/\$ "428"/\$).ccls. and 30	US-PGPUB; USPAT; USOCR	OR	ON	2007/05/18 16:50
L33	52	(foam\$4 expand\$4) and (174/102sc 174/120sc).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/18 17:01